

# ERIE Powder Coatings

Just Blacks.....

<u>Code</u>	<u>Description</u>	<u>Gloss</u>	<u>Chemical Resistance</u>	<u>Specific Gravity</u>	<u>Corrosion Resistance</u>	<u>Flexibility</u>	<u>Cure</u>	<u>Sprayability</u>	<u>Special Properties</u>
E205-T1	Black Text Epoxy	Texture, Low	Very Good	1.53	Good	Excellent	12' @ 375 F	Good	Low gloss sharp texture
E206-G7	Fast Black Epoxy	85	Excellent	1.51	Excellent	Excellent	6' @ 375F	Excellent	Super fast cure, excellent hardness
E237-D1	Black Sandtex	5	Excellent	1.50	Excellent	Excellent	6' @ 375F	Very Good	Super fast cure, excellent hardness
E240-G1	Matte Black Epoxy	6	Excellent	1.32	Excellent	Excellent	12' @ 375F	Excellent	Low gloss extremely smooth
E241-G2	Black Epoxy	6	Very Good	1.56	Very Good	Very Good	14' @ 310F	Good	Low gloss, low cure
H204-G9R	Gloss Black	95	Fair	1.45	Very Good	Excellent	8' @ 375F	Excellent	Fast cure mirror finish
H206-G3	Satin Black	40	Fair	1.50	Very Good	Excellent	12' @ 375 F	Excellent	Extremely smooth
H2090-D1	Brake Sandtex	6	Fair	1.56	Very Good	Excellent	6' @ 375F	Excellent	Super fast cure hybrid
H218-D1	Black Sandtex	4	Fair	1.54	Very Good	Excellent	8' @ 375F	Excellent	Coarse texture low gloss
H228-G2	Black Satin	20	Fair	1.47	Very Good	Excellent	12' @ 375 F	Excellent	General purpose satin gloss
H229-G6	Semi-Gloss Black	60	Fair	1.54	Very Good	Excellent	8' @ 375F	Excellent	Fast cure economical
H230-G1	Matte Black	8	Fair	1.50	Very Good	Excellent	12' @ 375 F	Excellent	General purpose low gloss
H241-G5	S/G Black	50	Fair	1.51	Very Good	Excellent	12' @ 375 F	Excellent	Extremely smooth satin gloss
H290-D1	Black Sandtex	5.5	Fair	1.54	Very Good	Excellent	8' @ 375F	Excellent	Slightly higher gloss than H218-D1
H297-D2	Black Sandtex	15	Fair	1.56	Very Good	Excellent	8' @ 375F	Excellent	High gloss fast cure sandtex
P200-G9	Gloss Black TGIC	94	Good	1.34	Excellent	Excellent	12' @ 375 F	Excellent	Standard cure mirror finish
P2012-D1R	Black Sandtex	5	Good	1.52	Excellent	Excellent	12' @ 375F	Excellent	Outdoor durable, excellent edge coverage
P2015-G8R	Black 80	80	Good	1.57	Excellent	Excellent	10' @ 375F	Excellent	Fast cure
P2018-G5	S/G Black	55	Good	1.54	Excellent	Excellent	12' @ 375F	Excellent	Smooth finish satin gloss
P2021-D1	Black Sandtex	3	Good	1.65	Excellent	Excellent	12' @ 375F	Excellent	Fine texture matte finish
PF252-G8	Black	80	Good	1.44	Excellent	Excellent	8' @ 375F	Excellent	Fast cure TGIC-Free, tribo
PF274-T1	Black Texture	Texture, High	Good	1.44	Excellent	Excellent	8' @ 375F	Good	Rolling semi-gloss texture, tribo
PF279-G5	S/G Black	55	Good	1.55	Excellent	Excellent	8' @ 375F	Excellent	Semi gloss fast cure TGIC-Free, tribo
U211-G1	Matte Black	5	Excellent	1.65	Excellent	Very Good	17' @ 375F	Good	Hi smoothness, excellent hardness

Please note that the information listed above is subject to change

The information above is listed as a guide, and should not be used as a product specification sheet.